



ANKARA SERAMİK A.Ş.



**Özel Tip Harici Mesnet İzolatörleri**  
Special Type Outdoor Post Insulators



## Özel Tip Harici Mesnet İzolatörleri

Bu tip mesnet izolatörler orta gerilim bina dışı bara mesnet izolatörü olarak kullanılırlar. Müşterilerin Özel istekleri ve kullanım yerlerine göre tasarımları yapılır.

Sınıflandırılması:

Eğmeye dayanım 400 kg olan normal ve kirli bölgeler için mesnet izolatörleri

- 24 kV Özel Tip Harici Mesnet İzolatörü PS-70
  - 24 kV Özel Tip Harici Mesnet İzolatörü P-70
  - 24 kV Özel Tip Harici Mesnet İzolatörü P-50
- Kaçak Mesafe: 20mm/kV and 25 mm/kV

## Special Type Outdoor Post Insulators


Special type outdoor post insulators are used in outdoor medium voltage applications for bus bars and are designed and manufactured according to customer requirements .

We manufacture normal and anti-pollutions special type outdoor post insulator at 24 kV service voltages with bending failing loads of up to 400 Kg .


- 24 kV Special Type Outdoor Post Insulator PS-70
- 24 kV Special Type Outdoor Post Insulator P-70
- 24 kV Special Type Outdoor Post Insulator P-50

With specific creepage distances of 20mm/kV and 25 mm/kV


Sır rengi : Kahverengi  
Glaze color : Brown



P-50



PS-70



P-70

İzolator Insulator	İmalat No	ÖTH-085	ÖTH-086	ÖTH-087	Genel Ölçü Toleransı DIN 40680 General Dimension Tolerance DIN 40680
	Tipi	P-70	PS-70	P-50	
Ölçüler Dimensions	H	250 mm	252 mm	260 mm	Boyutlar ve Teknik Özellikler TS 2042 IEC 273 Dimensions & Specifications TS 2042 IEC 273
	L	205 mm	232 mm	210 mm	
	D	128 mm	128 mm	88 mm	
Kaçak Mesafesi		500 mm	550 mm	300 mm	Creepage distance
Eğilmede Kırılma Yüğü		375 kg	400 kg	350 kg	Bending failing load
Yaşta 1 dk. Dayanma Gerilimi		50 kV	50 kV	50 kV	1 minute withstand voltage (wet)
Darbe Dayanma Gerilimi		125 kV	125 kV	125 kV	Impulse withstand voltage
Ortalama Eleman Ağırlığı		4 kg	4.5 kg	1.9 kg	Average weight of each insulator element
Sandıktaki Adet		10 Ad.	10 Ad.	10 Ad.	Contents of each package
Sandıklı Ağırlığı		45 kg	50 kg	24 kg	Packed weight